Klemko Techniek B.V.
Phone: +31 (0)880023300
E-mail: info@klemko.nl



876722 - SPOT-62RB-NW

/productimages/876722.jpg

Led spots, inbouw

Package type: CT á 1 pce





PRODUCT SPECIFICATIONS:

Spot

Mounting method Built-in Dimmable Yes

Colour temperature (K) 4000 - 4000

Colour of light adjustable No
Rated luminous flux according to IEC 215

62722-2-1 (lm)

(lm/W)0 - 102Nominal current (mA)0 - 700Nominal voltage (V)3 - 3Voltage typeDCMax. system power (W)2.1

Energy efficiency class of the light source according to EU regulation 2019/2015

Beam angle Medium beam 21-40°

Beam angle (°) 35

Built-in height (mm) 27 - 27

Height/depth (mm) 27

Outer diameter (mm) 62

Built-in diameter (mm) 50 - 50

Housing colour Stainless steel

Degree of protection (IP), front side IP44

Other

Degree of protection (IP) IP20
Suitable for ceiling mounting Yes

Luminous flux adjustable Continuously variable

Suitable for lamp power (W) 2.1 - 2.1

Adjustability Rotating and swivelling
Lamp type LED not exchangeable

With light source Yes
Electrical connection with connector Yes

system

Number of poles

Type of control gear LED operating device current-controlled

With control gear No Colour of light White Housing material Aluminium Symmetric Light sharing 80-89 Colour rendering index CRI Suitable for surface mounting No Suitable for built-in mounting Yes Optics Lens (cm) Light distributor Focal lens Light outlet Direct

2



Beam angle adjustable No
With presence indicator No
(lm) 0 - 215